



H O L Z
C E R T
A U S T R I A

CERTIFICATE OF FACTORY PRODUCTION CONTROL

1359 - CPD - 0100

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product

**Strength graded structural timber
with rectangular cross section**
corresponding to the product specification listed on the back side

produced by the manufacturer

Egger Sägewerk Brilon GmbH
Im Kissen 19
D-59929 Brilon

in the factory

D-59929 Brilon, Im Kissen 19

is submitted by the manufacturer to the initial type-testing of the product and a factory production control and that the approved body 1359 – HOLZCERT AUSTRIA has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard


EN 14081-1:2005 + A1:2011

were applied.

This certificate was first issued on 02.09.2008 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Vienna, 21.05.2012

HOLZCERT AUSTRIA


Dr. Michael Golser
Authorised signatory




Dr. Manfred Brandstätter
Head of Certification Body

Product specification
to the EC-CERTIFICATE 1359 - CPD - 0100
dated 21.05.2012

Construction product:

Maschine strength graded structural timber with rectangular cross section (buildings and bridges)

Wood species	Origin	Strength classes	Dimension
PCAB - Picea abies Fichte ABAL - Abies alba Tanne	(DE), (AT), (CZ), (CH), (FI), (NO), (SE), (ES), (LV), (PL), (RU)*	L17, L22, L25, L27, L30, L36, L40	Dicke: 26 – 66 mm Breite: 63 – 319 mm
PCAB - Picea abies Fichte ABAL - Abies alba Tanne	(DE), (AT), (CZ), (BE), (LU)	C 16, C18, C24, TR 26, C27, C30, C35, C40	Dicke: 18 – 182 mm Breite: 58 – 309 mm

* west of the Ural mountain range in Russia and north of the 55° line of latitude

Visual graded structural timber with rectangular cross section (buildings and bridges)

Wood species	Origin	Visual grading	Grading classes	Strength classes according to EN 338		
PCAB – Picea abies Spruce	MNO	DIN 4074-1	S7, S10, S13	C18, C24, C30		
			S7K, S10K, S13K	C18, C24, C30		
	MNO	BS 4978	GS, SS	C16, C24		
ABAL – Abies alba Fir	MNO	DIN 4074-1	S7, S10, S13	C16, C24, C30		
			S7K, S10K, S13K	C16, C24, C30		
	AT, DE	DIN 4074-1	S7, S10, S13	C18*, C24, C30		
			S7K, S10K, S13K	C18*, C24, C30		
	MNO	BS 4978	GS, SS	C16, C24		
PNSY – Pinus sylvestris Pine	MNO	DIN 4074-1	S7, S10, S13	C18, C24, C30		
			S7K, S10K, S13K	C18, C24, C30		
	MNO	BS 4978	GS, SS	C16, C24		
			S7K, S10K, S13K	C18*, C24**, C35**		
			DE	DIN 4074-1	S7, S10, S13	C18*, C24, C35
					S7K, S10K, S13K	C18*, C24, C35
<u>Combination</u>						
WPCA – Spruce, Fir	MNO	DIN 4074-1	S7, S10, S13	C16, C24, C30		
			S7K, S10K, S13K	C16, C24, C30		
WPCA – Spruce, Fir	AT, DE	DIN 4074-1	S7, S10, S13	C18*, C24, C30		
			S7K, S10K, S13K	C18*, C24, C30		
			S7K, S10K, S13K	C18*, C24, C30		

