

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106 1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

#### **Group Number Assessment**

(In accordance with AS 5637.1-2015)

This is to confirm that the product as described below has been tested by AWTA Product Testing .

Testing was performed in accordance with AS/NZS 3837-1998 Method of test for heat and smoke release rates for materials and products using an oxygen consumption calorimeter.

Test Sponsor :	Egger Australasia Pty Ltd	Test Number	:	19-001887
	PO Box 697	Issue Date	:	28/06/2019
	Carlton South VIC 3053	Print Date	:	28/06/2019

Sponsor Product	Clients Ref : "OSB" Orientated Strand Board
	Colour : Natural End Use : Walls & Coverings
	Nominal Composition : Wood strands encased in a curable resin core
	Nominal Mass per Unit Area/Density : Approx: 600kg/m3
	Nominal Thickness : 6mm

Product Group Number Classification :	3	
Average Specific Extinction Area :	23.6	m²/kg

Bald

Fiona McDonald Testing Technologist

The message/document(s) contained in this electronic attachment is intended for the party to which it is addressed and may contain confidential information or be subject to professional privilege. It's transmission is not intended to place the contents into the public domain.

If you have received this transmission in error, it's disclosure or copying is prohibited. Please contact us by collect call so that arrangements can be made at our expense to rectify the error.

AWTA PRODUCT TESTING Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

#### **TEST REPORT**

Client : Egger Australasia Pty Ltd PO Box 697 Carlton South VIC 3053			Test Nun Issue Da Print Dat	te :	26/06/2019	
Sample Description	Clients Ref : "OSB"					
	Orientated Strand Board	ł				
	Colour : Natural					
	End Use : Walls & Co	verings				
	Nominal Composition :	Wood strands e	ncased in a curable resi	n core		
	Nominal Mass per Unit A	Area/Density :	Approx: 600kg/m3			
	Nominal Thickness :	6mm				
	Method of Test for Heat and Consumption Calorimeter	Smoke Release R	ates for Materials and Pi	oducts	using an Oxygen	
	26/06/2019					
	AWTA Test Operator 5 Face					
	race	<b>o</b>				
		Specimen		Mean		
	1	2	3 37.0		kW/m²	
	25.0			39.0	KVV/m~	
-	35.2			22.0		
verage Heat Release Rate	rea 17.3	36.3	17.2	23.6	m²/kg	
verage Specific extinction a	rea 17.3 (according to Spe	36.3				
-	rea 17.3 (according to Spe	36.3	17.2			
verage Specific extinction a	rea 17.3 (according to Spe	36.3 ecification C1.10 of	17.2			
verage Specific extinction a	rea 17.3 (according to Spe al	36.3 ecification C1.10 of Specimen 2	17.2 the Building Code of Au	stralia)		
verage Specific extinction a est orientation : Horizonta	rea 17.3 (according to Spe al 1	36.3 ecification C1.10 of Specimen 2 50	17.2 the Building Code of Au 3	stralia) Mean	m²/kg	
verage Specific extinction a est orientation : Horizonta radiance exhaust flow rate	rea 17.3 (according to Spe al 1 50	36.3 ecification C1.10 of Specimen 2 50 0.024	17.2 the Building Code of Au 3 50	stralia) Mean 50	m²/kg kW/m²	
verage Specific extinction a est orientation : Horizonta	rea 17.3 (according to Spe al 1 50 0.024	36.3 ecification C1.10 of Specimen 2 50 0.024 41	17.2 the Building Code of Au 3 50 0.024	stralia) Mean 50 0.024	m²/kg kW/m² m³/s	
verage Specific extinction a est orientation : Horizonta radiance ixhaust flow rate ime to sustained flaming	rea 17.3 (according to Spe al 1 50 0.024 40 3600	36.3 ecification C1.10 of Specimen 2 50 0.024 41 1995	17.2 the Building Code of Au 3 50 0.024 34 3600	stralia) Mean 50 0.024 38	m²/kg kW/m² m³/s sec	

Ĉ	Australian Wool testing Authority Ltd	
9	Convright - All Rights Reserved	

103239



35301

 Accredited for compliance with ISO/IEC 17025 - Testing
 : Accreditation No.

 - Chemical Testing
 : Accreditation No.

 - Mechanical Testing
 : Accreditation No.

 - Performance & Approvals Testing
 : Accreditation No.

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

10

983

985

1356



Page 1 of 8



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106 1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

#### **TEST REPORT**

Client :	Egger Australasia Pty Ltd PO Box 697 Carlton South VIC 3053			Issue	Number : e Date : : Date :	19-001887 26/06/2019 28/06/2019	
Average heat a	at 180 s	164.9	154.3	148.1	155.7	kW/m²	
Average heat a	at 300 s	149.5	155.8	165.6	157.0	kW/m²	
Total heat relea	ased	125.4	87.8	132.2	115.1	MJ/m²	
Average effecti	ve heat of combustion	27.3	17.7	24.8	23.3	MJ/kg	
Initial thickness	3	7	7	7	7.0	mm	
Initial mass		39.0	42.1	44.2	41.8	g	
Mass at sustai	ned flaming	38.0	41.2	43.6	40.9	g	
Mass remaining	g	1.7	1.7	1.2	1.5	g	
Mass percenta	ge pyrolysed	95.5	96.1	97.4	96.3	%	
Mass loss		4.6	5.0	5.3	5.0	kg/m²	
Average rate o	f mass loss	1.3	2.5	1.5	1.8	g/m².s	
Additional Obs	ervations	None					
Difficulties Encountered during Testing		None					

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescing sample within the sample holder.

103239 35301 Page 2 of 8 Accredited for compliance with ISO/IEC 17025 - Testing - Chemical Testing Accreditation No 983 - Mechanical Testing Accreditation No 985 - Performance & Approvals Testing : Accreditation No. 1356 Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by

10



JACKSON B.Sc.(Hons)

ANAGING DIRECTOR

APPROVED SIGNATORY

Australian Wool testing Authority Ltd Copyright - All Rights Reserved C

the Managing Director of AWTA Ltd.

0204/11/06



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


### TEST REPORT

Client : Egger Australasia Pty Ltd PO Box 697 Carlton South VIC 3053 
 Test Number
 :
 19-001887

 Issue Date
 :
 26/06/2019

 Print Date
 :
 28/06/2019

Specimen: 1



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031


P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

### **TEST REPORT**

Egger Australasia Pty Ltd Client : PO Box 697 Carlton South VIC 3053

19-001887 Test Number : Issue Date 26/06/2019 • 28/06/2019 **Print Date** •



APPROVED SIGNATORY

ANAGING DIRECTOR

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


#### TEST REPORT

Client : Egger Australasia Pty Ltd PO Box 697 Carlton South VIC 3053 
 Test Number
 :
 19-001887

 Issue Date
 :
 26/06/2019

 Print Date
 :
 28/06/2019

Specimen: 2



ANAGING DIRECTOR

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031


P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

### **TEST REPORT**

Egger Australasia Pty Ltd Client : PO Box 697 Carlton South VIC 3053

19-001887 Test Number : Issue Date 26/06/2019 • 28/06/2019 **Print Date** •



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499


### **TEST REPORT**

Client : Egger Australasia Pty Ltd PO Box 697 Carlton South VIC 3053 
 Test Number
 :
 19-001887

 Issue Date
 :
 26/06/2019

 Print Date
 :
 28/06/2019

Specimen: 3



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

### **TEST REPORT**

Egger Australasia Pty Ltd Client : PO Box 697 Carlton South VIC 3053

19-001887 Test Number : Issue Date 26/06/2019 : 28/06/2019 **Print Date** :

