

# Certificate of Conformity

This is to Certify

EGGER OS'Brace – Oriented Strand Board Rigid Air Barrier & Bracing Unit

## Product Description

Engineered light weight composite structural panel made of peeled Pine softwood bonded with synthetic resin

## Complies with the Building Code of New Zealand:


- B1 Structure- clauses B1.3.1, B1.3.2, B.1.3.3 (a, b, c, e, f, h, m, q), B1.3.4 (b)
- B2 Durability- clause B2.3.1 (a) 50 years (as a bracing unit and RAB) & (b) 15 years (as RAB only), B2.3.2
- E2 External Moisture- clause E2.3.5
- F2 Hazardous Materials clause F2.3.1

## Subject to the following conditions and limitations:

1. EGGER OS'Brace must be installed as per EGGER OS'Brace Installers Guide (version 8: August 2014)
2. When on site, EGGER OS'Brace must be stored flat on 50mm packers and protected from exposure to weather
3. Specific design, in accordance with AS/NZS1170:2002 is required where EGGER OS'Brace is to be installed on a timber subfloor
4. After construction EGGER OS'Brace shall not be exposed to weather conditions longer than 3 months
5. Where EGGER OS'Brace is to be used as a bracing element is must be installed using stainless steel screws
6. In respect of B1.3.1 and B1.3.2, all relevant conditions and allowances have been considered, as provided for under B1.3.3 (a, b, c, e, f, h, m, q) and B1.3.4 (b) and that relate to the scope of use given in this certificate

Date of Issue 23<sup>rd</sup> January 2015

Certificate Number AQ-000115-CMNZ

  
John McKay, Chief Executive Officer,ASUREQuality Limited

## CODEMARK™

### Product Use and Scope

EGGER OS'Brace is a rigid air barrier and structural bracing element. It is designed to be used within the following scope:

- Timber framed buildings which fall within the scope of section 1.1, section 4 & section 8 NZS3604:2011, and
- In conjunction with a drained and ventilated wall cavity system that complies with E2/AS1 (amendment 5)

### Certificate Holder

IBS Building Products  
Independent Building Supplies Ltd  
1/7 Fraser Road,  
Mt Wellington, Auckland 1072  
New Zealand  
Website: <http://www.ibs.co.nz/>

### CodeMark Certification Body

ASUREQuality, 11 Hull Road, Mt Maunganui  
New Zealand  
Tel. 0508 00 11 22  
[www.asurequality.com](http://www.asurequality.com)



JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)

\*This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. The MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. The MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate. This certificate may only be reproduced in its entirety.\*