

**MORE FROM WOOD.**



**Eurodekor thin boards**

**Authentic surfaces and  
convincing properties**





## **Eurodekor melamine-faced thin boards**



Melamine-faced boards offer multiple possibilities for use in furniture and interior design. Thanks to their scratch resistance, abrasion resistance and resistance to chemicals, the surface is very robust.

**They are very well suited for the following areas of application:**

- Interior doors (residential and commercial applications)
- Lightweight, back boards
- Furniture and interior design
- Trade fair construction and shopfitting

**Properties**

- High impact resistance and mechanical resistance
- Design versatility with coordinated surface textures
- Optimal surface properties according to EN 14322
- Ideal processing characteristics
- Processing with low tool-wear



## Eurodekor Thin MDF HD

The **EGGER Thin MDF HD** is a bright, highly compressed board with a particularly fine fibre structure. Thanks to its **high density**, it complies with the requirements of the EN622-5 and has **very good elasto-mechanical properties**.

With its high compression, the product is particularly suited for one-sided and therefore **asymmetrical lamination**, as well as the **pressing of deep textures**. The structures gathered under the name of Feelwood, reflect surfaces that are close to nature and authentic.



## Eurodekor Thin Chipboard

The **EGGER Eurodekor thin chipboard** is a light board with **low bark content** and a particularly **smooth chip structure**. It corresponds to the requirements of the RAL Quality Assurance Association for interior doors and fulfils the special requirements for impact resistance and mechanical resistance.

# Product properties

Melamine-faced thin chipboard, laminated on one side, low-emission – E1 P2

## Thin MDF HD E1 for synchronised pore structure



Thickness:	3 mm (thickness tolerance: according to EN 324-1 based on the nominal size $\pm 0,2$ mm)
Decors:	EGGER wood reproductions, uni and white decors upon request – no pearlescent decors
Textures:	ST27, ST28, ST29 synchronised pore structure, only available with Feelwood decors according to the collection
Delivery time:	approx. 4 to 5 weeks

## Thin chipboard E1 P2 for standard textures

Thicknesses:	3 mm + 4 mm (thickness tolerance: according to EN 324-1 based on the nominal size $\pm 0,2$ mm)
Decors:	EGGER wood and material reproductions, uni and white decors upon request – no pearlescent decors
Textures:	ST2, ST9, ST10, ST11, ST15, ST22
Delivery time:	approx. 3 to 4 weeks

Product information	Full boards and half-formats	Cut-to-size
Delivery plant:	St. Johann in Tirol	
Formats:	5,610 × 2,070 mm – only thin chipboard 4,300 × 2,070 mm – only thin chipboard 2,800 × 2,070 mm	Cuts according to customer specifications
Minimum quantity per decor / texture / thickness:	≥ 50 full boards – 5,610 × 2,070 mm – only thin chipboard ≥ 50 full boards – 4,300 × 2,070 mm – only thin chipboard ≥ 100 half-formats – 2,800 × 2,070 mm  Variation in number of pieces $\pm 15\%$ reserved	Cut-to-size: ≥ 1000 pieces per order  of which: ≥ 200 pieces per format/texture/thickness
Packaging unit:	25 pieces – 5,610 × 2,070 × 3 mm – only thin chipboard 50 pieces – 4,300 × 2,070 × 3 mm – only thin chipboard 50 pieces – 2,800 × 2,070 × 3 mm  20 pieces – 5,610 × 2,070 × 4 mm – only thin chipboard 40 pieces – 4,300 × 2,070 × 4 mm – only thin chipboard 40 pieces – 2,800 × 2,070 × 4 mm – only thin chipboard	Door formats cut-to-size: 200 pieces – 3 mm 200 pieces – 4 mm – only thin chipboard  other cuts upon request
Grading:	According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions: Points: $\leq 2 \text{ mm}^2 / \text{m}^2$ Length defects: $\leq 20 \text{ mm} / \text{m}^2$  Customer-specific grading and stacking upon request	According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions: Points: $\leq 2 \text{ mm}^2 / \text{m}^2$ Length defects: $\leq 20 \text{ mm} / \text{m}^2$  Customer-specific grading and stacking upon request
Stacking:	Decor on decor, in pairs	Decor on decor, in pairs or according to customer requirements

# Eurodekor Thin MDF HD 3 mm



# Eurodekor thin chipboard 3 and 4 mm




**H1727** ST15  
Natural Birch



**H1298** ST22  
Sand Lyon Ash




**H1284** ST11  
White Ash




**H1521** ST15  
Honey Maple




**H3734** ST9/ST15  
Natural Dijon Walnut



**H1215** ST22  
Brown Cassino Ash



**H1582** ST15  
Ellmau Beech




**H1555** ST15  
Wenge




**H1295** ST15  
Chocolate Lakeland Acacia




**H1502** ST15  
Alder




**H3090** ST22  
Driftwood




**U763** ST2  
Pearl Grey




**H1334** ST15  
Light Ferrara Oak




**H1145** ST22  
Natural Bardolino Oak




**H3331** ST10  
Natural Nebraska Oak




**H3389** ST15  
Natural Light Oak




**H3303** ST22  
Natural Arlington Oak




**H1199** ST11  
Black Brown Thermo Oak




**H3332** ST10  
Grey Nebraska Oak




**H1372** ST22  
Natural Aragon Oak



**H3306** ST9  
Anthracite Chateau Oak



**H3304** ST9  
Oak Lacquered Chateau Oak



**H3386** ST15  
Oak natural

[www.egger.com/products-interior](http://www.egger.com/products-interior)



Would you like to know more?  
Simply scan here and get  
further information.

**FRITZ EGGER GmbH & Co OG.**

**Holzwerkstoffe**

Weiberndorf 20

6380 St. Johann in Tirol

Austria

**T** +43 50 600-0

**F** +43 50 600-10111

[info-sjo@egger.com](mailto:info-sjo@egger.com)

**FRITZ EGGER GmbH & Co OG.**

**Holzwerkstoffe**

Fabriksweg 11a

6300 Wörgl

Austria

**T** +43 50 600-0

**F** +43 50 600-13039

[info-woe@egger.com](mailto:info-woe@egger.com)