

Code	SDS_EdgingPVC_en_US
Version	5
Release Date	06-21-2024

## Safety Data Sheet

### EGGER PVC Edge Banding

According to 29 CFR 1910.1200 App D

This product is not hazardous in the form in which it is shipped by the manufacturer.

## Section 1: Identification of the substance/mixture and the company/undertaking

### 1.1 Product Identifier

Trade name	EGGER PVC edging, EGGER PVC Edge Banding
Product description	PVC edging provides the fitting finish for decorative surfaces.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Finish of decorative surfaces
-----------------	-------------------------------

### 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier/Importer	Fritz EGGER GmbH & Co. OG Weiberndorf 20 6380 St. Johann in Tyrol Austria +43 0800 888 111
Regional Support Centre	EGGER Wood Products LLC(US) 300 Egger Parkway Lexington, NC 27299 T+1-800-940-9633
Additional Information	environment@egger.com

### 1.4 Emergency phone number

1-800-424-9300 / +1 703-527-3887 (Chemtrec)

## Section 2: Hazards identification

### 2.1 Classification of the substance or mixture

OSHA HCS 2012	This product is generally an article and not hazardous.
---------------	---

### 2.2 Label elements

Labelling according to paragraph (f) 1910.1200; OSHA29 CFR

Signal word

Hazard statements	void
-------------------	------

Precautionary statements	void
--------------------------	------

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT	Not applicable
vPvB	Not applicable
OSHA HCS 2012	This product is not considered hazardous under the U.S. OSHA 29 CFR 1910.1200 Hazard Communication Standard in the form in which it is shipped.
NFPA	-
HMIS	-

## Section 3: Composition/information on ingredients

### 3.2 Chemical characterization: Mixtures (article)

Description	EGGER PVC edging consists of a polyvinyl chloride (PVC) polymer with heavy metal free stabilizers, fillers and additional additives such as pigments for coloring.
-------------	--

## Section 4: First aid measures

### 4.1 Description of first aid measures

General information	No special measures required regarding the product in the form it is shipped, downstream activities like cutting, sawing or grinding can generate dust. To avoid health hazards while these downstream activities, take note of the following measures:
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. After contact with the molten product, cool rapidly with cold water
Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if you feel unwell and contact a poison control center or medical professional.

### 4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 – Toxicological Information

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

## Section 5: Firefighting measures

### 5.1 Extinguishing media

Use firefighting measures that suit the environment

Water

Fire-extinguishing powder

Carbon dioxide

Foam

### 5.2 Special hazards arising from the substance or mixture

PVC Edges are not an explosion hazard. Sawing, sanding, or machining PVC can result in the by-product dust. Dust may present a strong to severe explosion hazard if a dust cloud contacts an ignition source.

In case of fire, the following gases can be released:

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO), Oxides of Nitrogen and other hazardous gases and particles

### 5.3 Advice for firefighters

Protective equipment

Mouth respiratory protective device

Additional information

Prevent formation of dust

Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

## Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not breathe dust.

Emergency Procedures

No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

### 6.2 Environment precautions

No special measures required

### 6.3 Methods and material for containment and cleaning up

Not applicable for product in purchased form. Dust generated from sawing, sanding, drilling or routing this product may be vacuumed or shoveled for recovery or disposal. Dust clean-up and disposal activities should be accomplished in a manner to minimize of airborne dust.

Dispose of the material collected according to regulations

Dispose of the material collected according to regulations

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment

See Section 13 for disposal information

## Section 7: Handling and storage

### 7.1 Precautions for safe handling

Use good safety and industrial hygiene practices. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Wear a respiratory mask if using hand tools without a dust extraction device. Observe all liability insurance association regulations for commercial processing operations (e.g. safety goggles).

Information on protection against explosions and fires:

Avoid formation of dust

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

No special precautions for handling product. Use good safety and industrial hygiene practices. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Keep away from ignition sources

### 7.3 Specific end use(s)

No further relevant information available

## Section 8: Exposure controls/personal protection

## 8.1 Control parameters

Dust needs to be controlled while cutting, sawing, drilling or other dust generating processes are performed.

## 8.2 Exposure controls

Engineering measures/ controls	Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Due to the explosive potential of dust when suspended in air, precautions should be taken during sanding, sawing or machining of products to prevent sparks or other ignition sources in ventilation equipment. Use of totally enclosed motors is recommended.
Respiratory	Use of a NIOSH/MSHA approved dust respirator is recommended where airborne dust levels exceed appropriate PELs and TLVs
Eye/Face	Wear safety glasses
Hands	Wear protective gloves Rubberized cloth, canvas or leather gloves
Skin/Body	Wear long sleeves and/or protective coveralls.
General Industrial Hygiene Considerations	Practice good housekeeping and avoid creating/breathing dust. Do not allow dust to collect. Maintain, clean, and fit test respirators I accordance with OSHA regulations.
Environmental Exposure Controls	No data available

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	solid	Evaporation rate	Not relevant
Color	varies	Partitions coefficient	Not relevant
Flammability	No data available	Autoignition	No data available
Odor	No distinctive odor	Decomposition temperature	No data available
Vapor Pressure	Not relevant	Viscosity	No data available
Odor threshold	Not relevant	Burning time	No data available
Vapor density	No data available	Density	approx. 800-950kg/m <sup>3</sup>
pH	Not relevant	Oxidizing properties	No data available
Relative density	Not relevant	Explosive limits	No data available
Melting point	Not relevant	Flash point	Not relevant
Freezing point	Not relevant	Boiling point	Not relevant
Solubility	Not soluble in water, ethanol Soluble in acetone, THF		

### 9.2 Other information

No further relevant information available.

## Section 10: Stability and reactivity

### 10.1 Reactivity

The product is not reactive under normal conditions of use, storage and transport.

**10.2 Chemical stability**

Stable under recommended storage conditions  
 Conditions to be avoided: No decomposition if used according to specifications

**10.3 Possibility of hazardous reactions**

No dangerous reactions known

**10.4 Conditions to avoid**

Exposure to water, ignition source, high relative humidity and high temperature

**10.5 Incompatible materials**

Incompatible Materials: acids(strong), Oxidizers(strong)

**10.6 Hazardous decomposition products**

Hazardous decomposition may occur thermal and/or thermal oxidative decomposition can produce irritating and toxic fumes and gases.

**Section 11: Toxicological information**

**11.1 Information on toxicological effects**

Other Material Not applicable for product in purchased from. Individual component information is provided below if available

Components  
 Formaldehyde 50-00-0 Acute Toxicity: Ingestion/Oral-Rat LD50 >200mg/kg; Inhalation-Rat LD50 0.578mg/l/4h

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 – Shall not be classified
Aspiration hazard	OSHA HCS 2012 – Shall not be classified
Carcinogenicity	OSHA HCS 2012 – Shall not be classified
Germ Cell Mutagenicity	OSHA HCS 2012 – Shall not be classified
Skin corrosion/Irritation	OSHA HCS 2012 – Shall not be classified
Skin sensitization	OSHA HCS 2012 – Shall not be classified
STOT-RE	OSHA HCS 2012 – Shall not be classified
STOT-SE	OSHA HCS 2012 – Shall not be classified
Toxicity for Reproduction	OSHA HCS 2012 – Shall not be classified
Respiratory sensitization	OSHA HCS 2012 – Shall not be classified
Serious eye damage/Irritation	OSHA HCS 2012 – Shall not be classified

Target Organs OSHA HCS 2012 – Shall not be classified  
 Route(s) of entry/exposure OSHA HCS 2012 – Shall not be classified  
 Medical Conditions Aggravated by Exposure OSHA HCS 2012 – Shall not be classified

**Potential Health Effects**

OSHA HCS 2012 – Shall not be classified

**Inhalation**

Acute(Immediate) OSHA HCS 2012 – Shall not be classified

Chronic (Delayed) OSHA HCS 2012 – Shall not be classified

**Skin**

Acute(Immediate) OSHA HCS 2012 – Shall not be classified

Chronic(Delayed) OSHA HCS 2012 – Shall not be classified

**Eye**

Acute (Immediate) OSHA HCS 2012 – Shall not be classified

Chronic(Delayed) OSHA HCS 2012 – Shall not be classified

**Ingestion**

Acute(Immediate) OSHA HCS 2012 – Shall not be classified

Chronic(Delayed) OSHA HCS 2012 – Shall not be classified

**Carcinogenic Effects**

Carcinogenic Effects OSHA HCS 2012 – Shall not be classified

**Section 12: Ecological information**

**12.1 Toxicity**

Not applicable for compact laminates

**12.2 Persistence and degradability**

No further relevant information available

**12.3 Bioaccumulative potential**

Not applicable for compact laminates

**12.4 Mobility in soil**

No further relevant information available

General notes

Generally not hazardous for water

**12.5 Results of PBT and vPvB assessment**

PBT

Not applicable

Other adverse effects

Not applicable

**12.6 Other adverse effects**

No further relevant information available

**Section 13: Disposal considerations**

**13.1 Waste treatment methods**

Recommendation

Disposal according to local regulations

Uncleaned packaging recommendations

Dispose of packaging according to regulations on the disposal of packaging

**Section 14: Transport information**

**14.1 UN-number**

ADR, ADN, IMDG, IATA

Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA Void

**14.3 Transport hazard class(es)**

ASR, ADN, IMDG, IATA class Void

**14.4 Packing group**

ADR, IMDG, IATA Void

**14.5 Environmental hazards**

Not applicable

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

**UN “Model Regulation”**

Void

**Section 15: Regulatory Information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

NPCA-HMIS® III

Category	Rating	Description
Chronic Health	*	Chronic (long-term) health effects may result from repeated overexposure (dust)
Health	0	No significant risk to health
Flammability	1	Material that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur
Physical Hazard	0	Material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

Category	Degree of hazard	Description
Flammability	1	Material that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur
Health	0	Material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	Material that is normally stable, even under fire conditions
Special hazard		

SARA Hazard Classifications Inventory Void

Component	CAS	Canada DSL	TSCA
EGGER PVC Edge Banding	Not applicable	Not listed. All components are on the Canada DSL or are excluded from listing or below de minimis	Not listed. All components are on the TSCA inventory or are excluded from listing or below de minimis reporting

	reporting	
Canada – WHMIS – Classifications of Substances EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
Canada – WHMIS – Ingredient Disclosure List EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
U.S.-OSHA – Process Safety Management – Highly hazardous Chemicals EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
Environment U.S. – CERCLA – Hazardous Substances EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
U.S. – CERCLA/SARA – Section 304 EHS RQ EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
U.S. – EPCRA –Section 302 (EHS) TPQ EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
U.S. – EPCRA – Section 313 – Toxic Chemicals EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed
United States – California Environment U.S. – California – Proposition 65 –Carcinogens List EGGER PVC Edge Banding and ingredients(unless listed below)	N/A	Not listed

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out

## Section 16: Other information

This information is based on our present knowledge and comes from sources believed to be accurate or otherwise technically correct. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Initial release 05-03-2018  
Last Revision Date 06-21-2024