

QUALITY MANAGEMENT ISO 9001:2015

Code: TD\_SKIRTING\_WHITE\_EN

Revision: 03

Date: 27.05.2024

# Technical data sheet

## EGGER Skirting boards White

### Application area

Preparation of wall finishes after installation of EGGER Laminate and Hybrid flooring.

### Material data

Parameter	Unit							
Surface		Impregnated decor paper						
Carrier material		MDF (medium density fiberboard)						
Product		Skirting 6 cm cubical budget	Skirting 7 cm Hamburg	Skirting 10 cm Hamburg	Skirting 4 cm cubical	Skirting 6 cm cubical	Skirting 8 cm cubical	Skirting 10 cm cubical
Material No.		1279338	1036707	1036708	1483170	1483124	1483097	1483107
Profile drawing								
Length	mm	2400	2400	2400	2400	2400	2400	2400
Thickness	mm	16	18	18	16	18	18	18
Width	mm	16	70	100	40	60	80	100
Colour		White (RAL 9016)						
Paintable		Lacquering with acrylic lacquer or solvent-free lacquers before installation is recommended						
Skirting per package	piece	8	8	8	10	10	8	6
Meter per package	m	19,2	19,2	19,2	24	24	19,2	14,4
Skirting per pallet	piece	320	280	280	700	350	240	210
Meter per pallet	m	786	672	672	1680	840	567	504
Method of use		<ul style="list-style-type: none"> <li>• adhesive (SMP construction adhesive or 1K PU adhesive )</li> <li>• tacking (compressed-air tacker)</li> </ul>						

## General data

Parameter		Test method
Formaldehyde Emission	E 1	EN 120
VOC-and Formaldehyde emission	A+	ISO 16000 part 3,6,9, 10
Light resistance	level 7	EN 20105
Recycling	recyclable	
Disposal	EWC: 17 02 01	
Cleaning	Using a vacuum cleaner With detergent pH < 8 and a damp cloth Avoid heavy accumulations of water	
Storage	Standing or lying on an even base. Protect it from direct sunlight and moisture Climatic conditions: temperature 18°C, humidity 55 - 70 %	

## Logistic parameters

Description	Parameter	Skirting 6 cm cubical budget	Skirting 7 cm Hamburg	Skirting 10 cm Hamburg	Skirting 4 cm cubical	Skirting 6 cm cubical	Skirting 8 cm cubical	Skirting 10 cm cubical
Details package	Quantity	8	8	6	10	10	8	6
	Meter per package	19,2	19,2	14,4	24	24	16,2	14,4
	Dimension [mm]	2.410 x 183 x 66	2.410 x 135 x 75	2.410 x 105 x 111	2.410 x 76 x 82	2.410 x 105 x 95	2.410 x 162 x 95	2.410 x 105 x 110
	Weight [kg] +/- 10 %	13,2	11,90	12,1	8,5	14,2	13,1	13,3
Details pallet	Quantity	320	210	280	700	350	240	210
	Meter per pallet	786	504	672	1680	840	567	507
	Dimension [mm]	2.450 x 800 x 659	2.450 x 800 x 660	2.450 x 800 x 690	2.450 x 800 x 710	2.450 x 800 x 710	2.450 x 800 x 610	2.450 x 800 x 690
	Weight [kg] +/- 10 %	443	468	472	639	391	442	516

The tolerance for cross section mass, longitudinal dimensions as well as distortion and bend correspond RAL-RG 432.

Only use adhesive tapes that do not exceed an adhesive force (according to DIN EN 1939) of 2N/cm.

We confirm that in the manufacturing process, in the semi-finished goods and in the skirting's itself no top coating, no paints, no lacquers and no adhesives with organic solvents, biocides and free formaldehyde are used and contained.

### Information

All above mentioned values were determined under laboratory conditions and defined laboratory materials and may deviate from these test values. For all the mentioned performance values inaccuracies are possible owing to the testing methods.

The information given above is based on our current state of knowledge and should be used for information of our product application. This should not be taken to as an assurance of certain quality of our products or their use for specific purposes. Subject to change, legal obligations cannot be derived from the information in this document. Existing commercial protective rights are to be observed.

### A note on validity

This technical data sheet has been carefully drawn up to the best of our knowledge. It is intended for information only and does not constitute a guarantee in terms of product properties or suitability for specific applications. We accept no liability for any mistakes, errors in standards, or printing errors. In addition, technical changes may result from the further development of EGGER accessories as well as changes to standards and public law documents. This technical data sheet is not an instruction for use and is not a legally binding document.