

Environmental & Health Data Sheet

Self-declaration according to ISO 14021

Eurospan E1E05 TSCA P2 CE



The Eurospan E1E05 TSCA P2 CE raw chipboard is a board-shaped wood based material with reduced formaldehyde content. It is used primarily in decorative interior design and furniture applications in residential and commercial properties.

Raw Materials & Primary Products

Wood origin

Our plants are certified according to the standard ISO 38200:2018, all paper can be referred to the ISO 38200: 2018 statements. On request and in agreement with your contact person at the EGGER sales department, our products can be declared on our sales documents also with other certification claims, depending on the availability at the production site. Please inquire availability details from your sales contact.

For certificates and an up-to-date list of the regional origin and wood species used in the product, see document available for download at www.egger.com/environment:

- Manufacturer's Declaration – Timber origins (Pdf)
- Certificate ISO 38200:2018 (Pdf)
- Further 3rd party certificates of sustainable wood procurement (Pdf)

Renewable content

	Renewable content	Fossil-based content
Eurospan E1E05 TSCA P2 CE	90%	10%

Average renewable resource content by dry weight, in relation to all constituent materials (incl. wood, glue and others). Figures may vary between thicknesses.

Recycled content

	Virgin material	Co-products	Preconsumer recycling material	Postconsumer recycling material
Eurospan E1E05 TSCA P2 CE	41%	32%	4%	23%

Average recycling content by dry weight, in relation to all constituent materials (incl. wood, glue and others). Figures may vary between thicknesses.

Carbon Footprint

	Global warming potential
1m ³ Eurospan E1E05 TSCA P2 CE	-812 kg CO ₂ -equivalent

A negative amount indicates that carbon is stored in the product. Data on carbon storage in products (carbon footprint) is taken from the Life Cycle Assessment (LCA) in the Environmental Product Declaration (EPD). GWP 100 (global warming potential over 100 years), cradle-to-gate.

Responsible	Editor	Valid until	Revision	Classification	Page
Riepertinger Manfred	Bender Martina	16.02.2022	1	Public	1 of 11

Constituent materials

EGGER Eurospan E1E05 TSCA P2 CE is a composite wood based, UF- and UMF-bonded panel. The table below contains 99.9% of the primary products, measured by weight. Proportions may vary between individual product thicknesses. Listed is the average across all thicknesses in one production year. All chemicals have been evaluated and are disclosed down to 1000 ppm.

Proportion		Function	Composition/ Add. info
90	%	Dry wood chips	Industrial round wood, saw mill by-products, Pre-consumer recycling wood and Post-consumer recycling wood
8	%	Glue	Mix of Urea-Formaldehyde Glue (UF) and Urea-Melamine-Formaldehyde Glue (UMF) <i>during the pressing process, the aminoplastic adhesive hardens fully. Under normal conditions, it is bound to the wood and chemically stable</i>
0.5	%	Hydrophobing agent	Paraffine wax emulsion
<0.5	%	Formaldehyde scavenger	Technical Urea
<0.5		Glue	Isocyanate (MDI) <i>during the pressing process, the MDI hardens fully into polyurethane. Under normal conditions, it is bound to the wood and chemically stable</i>
<0.5	%	Hardener	Ammonium nitrate / Ammonium sulphate / <i>chloride-free</i>

Manufacturing

Production plants & their certifications

The product is manufactured at the following locations. For address and certification details, kindly see footnotes at the end of this document.

Plant ⁱ	Certifications obtained by this plant			
	Quality	Environment	Energy	Wood origin
St. Johann, AT	ISO 9001	ISO 14001	–	ISO 32800
Wörgl, AT	ISO 9001	ISO 14001	–	ISO 32800
Unterradlberg, AT	ISO 9001	ISO 14001, EMAS	–	ISO 32800
Rion des Landes, FR	ISO 9001	ISO 14001	ISO 50001	ISO 32800
Rambervillers, FR	ISO 9001	ISO 14001	ISO 50001	ISO 32800
Gagarin, RU	ISO 9001	–	–	ISO 32800
Brilon, D	ISO 9001	ISO 14001	ISO 50001	ISO 32800
Radauti, RO	ISO 9001	ISO 14001	–	ISO 32800
Hexham, UK	ISO 9001	ISO 14001	ISO 50001	ISO 32800
Barony, UK	ISO 9001	ISO 14001	ISO 50001	ISO 32800
Biskupiec, PL	–	–	–	ISO 32800

Processing

Safety

This product is not hazardous in the form in which it is shipped by the manufacturer. Downstream activities (e.g. grinding, sanding, cutting or

pulverizing) may generate wood dust, which is hazardous. Wear a respiratory mask if using hand tools without a dust extraction device. Observe all liability insurance association regulations for commercial processing operations (e.g. safety goggles).

Technical data

See document available for download at www.egger.com

- Technical Data Sheet Eurospan E1E05 TSCA P2 (Pdf)
- Eurospan E1 E05 TSCA P2 CE EAC- DOP-181 (Pdf)

Use

Product certification

On request the products can be labelled with a certificationⁱⁱ claim according to:

- ISO 38200:2018
- Further 3rd party certificates of sustainable wood procurement

To download certificates, see EGGER environmental downloads at www.egger.com/environment

Product emissions & Health aspects

Natural wood constituents may be released in small quantities. Minor amounts of formaldehyde can be detected. During the Eurospan E1E05 TSCA P2 CE's manufacturing processes, heat and pressure is applied in a short cycle press. All resins cure completely into a solid material. In the use phase, the product is chemically stable under normal conditions. There are no known health hazards or health effects to be expected under normal conditions, when the product is used as intended.

Substance / indicator	Product has been tested and fulfils emission requirement	Requirement	Requirement details ⁱⁱⁱ
Formaldehyde	✓	E1	Formaldehyde class E1, according to EN 13986+A1:2015-04
Formaldehyde	✓	E1 DE 2020 [±] E1E05	German ChemVerbotsVO Formaldehyde class E1 from 1.1.2020, external testing
Formaldehyde	✓	CARB P2	California's Composite Wood Products Regulation California's
Formaldehyde	✓	TSCA	U.S. Toxic Substances Control Act, external testing (core board)

End of life – Waste treatment

Reuse

During remodeling or at the end of the utilization phase of a building, the product can easily be separated and used again for the same applications, if selective deconstruction is practiced. This is only possible if the product has not been bonded over its entire surface.

Recycling – Material use

Leftovers which arise on the construction site as well as those from deconstruction measures should primarily be routed to a material utilization stream (use as post-consumer recycling material). The product can be recycled and used for the same purpose, since waste wood from furniture is a secondary material already used in the production of new chipboards.

Incineration – Energetic use

After its utilization phase, the product should be separated and routed to an energetic recovery, due to its high calorific value of approx. **16,7 MJ/kg**. Upon incineration, kindly observe all locally applicable legal requirements for the correct dimensions, required filter technologies, operating conditions, and legal permissions for burning wood-based panels/chipboards.

Waste code according to European Waste Catalogue, depending on origin of the waste:

- 17 02 01 Construction & Demolition Waste Wood or
- 03 01 05 sawdust, shavings, cuttings, wood, particle board and veneer not containing hazardous substances

The product is not classified as hazardous waste. Used Eurospan E1E05 TSCA P2 CE boards can be classified as glued waste wood without halogenated compounds and without wood preservatives.

See also document available for download at www.egger.com/environment:

- Manufacturer's Declaration – Wood preservatives (Pdf)
- Manufacturer's Declaration – Halogenated organic compounds (Pdf)

Environmental life cycle assessment

The product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804.

- EPD Eurospan E1E05 TSCA P2 CE (Pdf)
available for download at www.egger.com/environment]



Compliance with LEED v4

EGGER Eurospan E1E05 TSCA P2 CE is compliant with the prerequisites for use in LEED certified buildings outside the U.S. Beyond that the usage of EGGER Eurospan E1E05 TSCA P2 CE contributes to gather additional points within the LEED scoring system. The following table shows all LEED credits which are applicable to the usage of our product. As the actually achievable number of points depends on the attributes of all used materials in the LEED building project and further actions by the constructor, we cannot guarantee to obtain the maximum score. For full requirement terms see LEED credit library at www.usbc.org.

Projects outside U.S.

LEED v4 Requirements for Building Design + Construction (BD+C) New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers			Product contributions
LEED v4 Requirements for Interior Design + Construction (ID+C) Commercial Interiors, Retail, Hospitality			
Chapter	Requirement summary	Maximum Points	
Material and Resources	Building Product Disclosure and Optimization - Environmental Product Declarations Option 1. Environmental Product Declaration (EPD)	1 Point	This product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804. See <ul style="list-style-type: none"> EPD EGGER Eurospan E1E05 TSCA P2 CE (Pdf) available for download at www.egger.com/environment
	Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 1.:Raw material source and extraction reporting Third-party verified corporate sustainability reports (CSR) according to an accepted framework.	2 Point	An annual Sustainability report is published in accordance with the GRI standards: "Core" option, and is audited by an independent party. See <ul style="list-style-type: none"> Sustainability report (Pdf) available for download at www.egger.com/environment .
Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2.3: Wood products must be certified by the Forest Stewardship Council or USGBC-approved equivalent.	The products is verified by the ISO 38200: 2018 statements. Additionally, the product can be purchased in other certified qualities on request. Use delivery receipt as evidence document. See also chapter "Wood origin" of this document.		
Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2.5: Recycled content is the sum of postconsumer recycled content plus one-half the preconsumer recycled content, based on cost.	Recycled content of the product (based on weight) = 23% + 36%/2 =36 % . See "Constituent materials" section above to obtain further information.		
Material and Resources	Building Product Disclosure and Optimization - Material Ingredients Option 1: Declare.	1 Point	The manufacturer has screened the product to at least 1,000 ppm and has provided a publicly available inventory. See "Constituent materials" section above to obtain further information.
Indor Environmental Quality	Low-emitting Materials- Formaldehyde emissions evaluation For projects outside the U.S. , composite wood must be documented not to exceed a concentration limit of 0.05 ppm of formaldehyde.		Product is tested per EN 717-1:2014 for formaldehyde emissions and complies with emissions class E1. See "Product emissions & Health aspects" section above for further information. Please get in touch with your EGGER sales contact or distributor, who are happy to forward the inquiry to get Eurospan E1E05 TSCA P2 CE Formaldehyde test report (Pdf).

Projects inside U.S.

Please note that formaldehyde emission requirements in LEED v4 are deviating for projects **inside the U.S.** *Requirements given in italics are currently not met by the product.*

LEED v4 Requirements for Building Design + Construction (BD+C) New Construction, Core and Shell, Schools, Retail, Healthcare, Data Centers, Hospitality, Warehouses and Distribution Centers			Product contributions
LEED v4 Requirements for Interior Design + Construction (ID+C) Commercial Interiors, Retail, Hospitality			
Chapter	Requirement summary	Maximum Points	
Material and Resources	Building Product Disclosure and Optimization - Environmental Product Declarations Option 1. Environmental Product Declaration (EPD)	1 Point	This product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804. See <ul style="list-style-type: none"> EPD EGGER Eurospan E1E05 TSCA P2 CE (Pdf) available for download at www.egger.com/environment
	Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2.3: Wood products must be certified by the Forest Stewardship Council or USGBC-approved equivalent.	1 Point	The products is verified by the ISO 38200 : 2018 statements. Additionally, the product can be purchased in other certified qualities on request. Use delivery receipt as evidence document. See also chapter "Wood origin" of this document.
Building Product Disclosure and Optimization - Sourcing of Raw Materials Option 2.5: Recycled content is the sum of postconsumer recycled content plus one-half the preconsumer recycled content, based on cost.	Recycled content of the product (based on weight) = 23% + 36%/2 = 36 % . See "Constituent materials" section above to obtain further information.		
Material and Resources	Building Product Disclosure and Optimization - Material Ingredients Option 1: Declare.	1 Point	The manufacturer has screened the product to at least 1,000 ppm and has provided a publicly available inventory. See "Constituent materials" section above to obtain further information.
Indor Environmental Quality	Low-emitting Materials- Formaldehyde emissions evaluation: Composite wood must be documented to have low formaldehyde emissions that meet the requirements for ultra-low-emitting formaldehyde (ULEF) resins or no added formaldehyde resins.	3 Points	<i>The product does not fulfil ULEF requirements. Glue on a formaldehyde base is used as a binding agent.</i>

Compliance with WELL Building Standard v2™

EGGER Eurospan E1E05 TSCA P2 CE is compliant with the preconditions for use in WELL v2™ certified buildings. Beyond that the usage of this product may contribute to gather additional points within the WELL scoring system. The following table shows all WELL features which are applicable to the usage of our product. *Requirements given in italics are currently not met by the product.* As the actually achievable number of points depends on the attributes of all used materials in the WELL building project and further actions by the constructor, we cannot guarantee to obtain the maximum score. For full requirement terms see WELL feature library at www.wellcertified.com.

Requirements			Product contributions
Chapter	Requirement summary	Maximum Points	
X01 Material Precautions	Restrict asbestos, mercury and lead.	Precondition	The product complies with this precautions. See Manufacturer's Declaration – Asbestos (Pdf) available for download at www.egger.com/environment . Please get in touch with the EGGER product sustainability & compliance team at environment@egger.com to get further declarations concerning the non-use of mercury and lead.
X05 Enhanced Material Restrictions	Part 2a Select Compliant Architectural and Interior Products: Flooring products, ceiling and wall panels contain halogenated flame retardants (HFR) at less than 100 ppm.	1 Point	The product complies with this requirement. No halogenated flame retardants (HFR) are used in this product. See "Constituent materials" section above for your documentation. Please get in touch with the EGGER product sustainability & compliance team at environment@egger.com to get Manufacturer's declaration on the use of halogenated compounds (Pdf).
X05 Enhanced Material Restrictions	Part 2a Select Compliant Architectural and Interior Products: Newly installed floorings and furniture contain Orthophthalates at less than 100 ppm.		In general, no softening agents are used in the production of chipboards, in particular no phthalates. See "Constituent materials" section above for your documentation.
X06 Volatile Compound reduction	Part 2a Restrict VOC Emissions from Furniture, Architectural and Interior Products: Furniture and wall panels tested per AgBB or CDPH method and VOC emission threshold established.	2 Points	<i>Product is not tested according German AgBB scheme. Use laminated material e.g. EGGER Eurodekor E1E05 TSCA P2 CE to meet this requirement.</i>
X06 Volatile Compound reduction	Part 2c2 Restrict VOC Emissions from Furniture, Architectural and Interior Products: Composite wood panels meet the formaldehyde standards European E1, TSCA, F*** or LEED v4.1		Product is tested per EN 717-1:2014 for formaldehyde emissions and complies with emissions class E1. See "Product emissions & Health aspects" section above for further information. Please get in touch with your EGGER sales contact or distributor, who are happy to forward the inquiry to get Eurospan E1E05 TSCA P2 CE Formaldehyde test report (Pdf).
X07 Material Transparency	Part 1: Select Products with Disclosed Ingredients: Promote ingredient disclosure with ingredients identified and disclosed to 1,000 ppm.	1 Point	The product is screened to at least 1,000 ppm and the manufacturer has provided a publicly available inventory within this document. See "Constituent materials" section above for your documentation.
X08 Materials Optimization	Part 1 Select Material with Enhanced Chemical Restrictions: Newly installed furnishings, built-in furniture, interior finishes and finish materials comply with some combination of the listed programs (e.g. Living Building Challenge Red List Free)	2 Points	<i>Currently our product does not participate in any of the listed programs. It does not contribute to achieve points for this requirement.</i>
X08 Materials Optimization	Part 2 Select Optimized Products: Product is certified by one of the listed programs (e.g. Cradle to Cradle)		<i>Currently our product does not participate in any of the listed programs. It does not contribute to achieve points for this requirement.</i>

Compliance with BREEAM International New Construction 2016

EGGER EGGER Eurospan E1E05 TSCA P2 CE is compliant with the preconditions for use in BREEAM 2016 certified buildings and fulfils the emission requirements at exemplary level. Beyond that the usage of this product may contribute to gather additional points within the BREEAM scoring system. The following table shows all BREEAM credits which are applicable to the usage of our product. As the actually achievable number of credits depends on the attributes of all used materials in the BREEAM building project and further actions by the constructor, we cannot guarantee to obtain the maximum score. For full requirement terms see BREEAM manual at www.breeam.com.

Requirements			Product contributions
Chapter	Requirement summary	Maximum Credits	
Mat 01 Life cycle impacts	Environmental product declarations (EPD) – product installed by Post-Construction Stage is covered by verified EPD	1 Credits	This product has a verified Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804. See <ul style="list-style-type: none"> EPD EGGER Eurospan E1E05 TSCA P2 CE (Pdf) available for download at www.egger.com/environment
Mat 03 Responsible sourcing of construction products	All timber-based products used on the project are Legally harvested and traded timber.	Prerequisite	The products is verified by the ISO 38200 : 2018 statements. This standard takes into account all legal requirements in the respective purchasing or production country and all environmental and social criteria known in the ISO system. Additionally, the product can be purchased in other certified qualities on request. Use delivery receipt as evidence document. See also chapter “Wood origin” of this document.
Hea 02 Indoor air quality	Avoidance of asbestos.	Prerequisite	The product complies with this prerequisite. See <ul style="list-style-type: none"> Manufacturer's Declaration – Asbestos (Pdf) available for download at www.egger.com/environment
Hea 02 Indoor air quality	Minimising sources of pollution - Emissions from building products. Product should meet the exemplary level emission criteria Formaldehyde $\leq 0.06 \text{ mg/m}^3$ TVOC $\leq 1.0 \text{ mg/m}^3$ Category 1A and 1B carcinogens $\leq 0.001 \text{ mg/m}^3$	1 Credit	<i>Product does not meet the exemplary level emissions criteria as a raw board. Use laminated material e.g. EGGER Eurodekor E1E05 TSCA P2 CE to gather full credits.</i>

Compliance with DGNB Gebäude Neubau 2018

As the DGNB certification system is primarily relevant for projects in the German-speaking countries, this chapter is given in German language.

Die DGNB Auszeichnungen Silber, Gold und Platin ergeben sich aus den Gesamterfüllungsgrad des Bauprojektes. Welche Qualitätsstufen das Produkt EGGER Eurospan E1E05 TSCA P2 CE

nach dem DGNB-System erfüllt und wo Sie die benötigten Nachweise finden, können Sie der folgenden Tabelle entnehmen. Die Beiträge zum Gesamterfüllungsgrad, die sich nach dem DGNB Punktesystem hieraus ergeben, hängen u.a. von der Relevanz der Produktgruppe für das Gesamtgebäude ab. Bitte beachten Sie, dass für die Gesamtbewertung des Gebäudes darüber hinaus noch weitere Kriterien von Bedeutung sind. Eine durch den Einsatz der Produktes EGGER Eurospan E1E05 TSCA P2 CE zu erhaltende Punktzahl können wir daher nicht garantieren.

Themenfeld	Kriterien		Beitrag des Produktes
	Zusammenfassung Kriterium	Qualitätsstufe/ Bonus	
ENV1.1 Ökobilanz des Gebäudes	Die Gebäude-Ökobilanz benötigt Baustoffdaten. Produktspezifische Daten (EPDs) werden bevorzugt.	-	Für das Produkt liegt eine Umweltproduktdeklaration (EPD) vor. Sie finden das Dokument <ul style="list-style-type: none"> EGGER Eurospan E1E05 TSCA P2 CE (Pdf) im Downloadbereich auf www.egger.com/umwelt .
ENV1.2 Risiken für die lokale Umwelt	Formaldehydgrenzwert für Holzwerkstoffe in Aufenthaltsräumen: RAL UZ 76 oder Formaldehyd <0,05 ppm in Prüfkammer.	4	Der Grenzwert wird eingehalten. Das Produkt hält die Anforderungen der deutschen ChemVerbotsVO ein (E0,5). Bitte wenden Sie sich an unseren Verkaufsservice, um einen aktuellen Formaldehydprüfbericht (Pdf) zu erhalten.
ENV1.3 Verantwortungsvolle Ressourcengewinnung	Zertifizierte verantwortungsbewusste Ressourcengewinnung eines Teils der Wertschöpfungskette.	1.2	Die Lieferkette von Holz und Papier sind nach ISO 38200 (Chain-of Custody, CoC) zertifiziert. Die Norm berücksichtigt alle Legalitätsanforderungen im jeweiligen Einkaufs- bzw. Produktionsland und alle im ISO System bekannten Umwelt- und Sozialkriterien. Sie finden das Dokument <ul style="list-style-type: none"> Herstellereklärung über die Holzherkünfte (Pdf) im Downloadbereich auf www.egger.com/umwelt .
TEC1.6 Rückbau- und Recyclingfreundlichkeit	Indikator 1 Recyclingfreundliche Materialauswahl: Stoffliche Verwertung	2	EGGER setzt Spanplatten aktiv als Altholz in der Produktion von Spanplatten ein. Das Produkt gilt nach Ablauf seiner Nutzungsphase als stofflich verwertbar. Nutzen Sie als Nachweis die die Informationen der Spalte <i>Recycling-Material in %</i> aus der <ul style="list-style-type: none"> Herstellereklärung über die Holzherkünfte (Pdf) im Downloadbereich auf www.egger.com/umwelt .
TEC1.6 Rückbau- und Recyclingfreundlichkeit	Im Gebäude werden Bauteile eingesetzt, die heute bereits nachweislich einer werkstofflichen Verwertung zu einem vergleichbaren Produkt zugeführt werden.	Max. 1 Punkt CE Bonus pro Bauteil	EGGER setzt Spanplatten aktiv als Altholz in der Produktion von Spanplatten ein. Das Produkt gilt nach Ablauf seiner Nutzungsphase als werkstofflich verwertbar. Nutzen Sie als Nachweis die Informationen der Spalte <i>Recycling-Material in %</i> aus der <ul style="list-style-type: none"> Herstellereklärung über die Holzherkünfte (Pdf) im Downloadbereich auf www.egger.com/umwelt .

Compliance with Nordic Swan Ecolabel

Small houses, apartment buildings and buildings for schools and pre-schools

The product EGGER Eurospan E1E05 TSCA P2 CE is listed in the database for building products that can be used in Nordic Swan Ecolabelled buildings (Portal Nordic Ecolabelling) under the Manufacturer's name Egger, Fritz GmbH & Co. As an applicant for an Ecolabelled building, please inform your Nordic Swan certifier about the product listing. For the use of EGGER Eurospan E1E05 TSCA P2 CE no other documents are necessary for your application.

Furniture and Fitments, version 4.15

If you are planning to certify a furniture product with the Nordic Swan Ecolabel, we as your supplier are happy to provide you with the required evidence documents, as shown below. From our current knowledge, all other requirements beyond this list are not applicable to this product from the raw material supplier. When in doubt, please always take the original criteria version as a reference at the official Nordic Swan website.

Requirements		Product contributions
Chapter	Requirement summary	
R11 Origin and traceability	Written procedure ensuring traceability to the origin of the raw materials	The product complies with the requirement. The following evidence document can be used: <ul style="list-style-type: none"> ▪ Certificate ISO 38200:2018 (Pdf) available for download at www.egger.com/environment .
R12 Chemical products and additives	Chemical products and additives/constituent substances used in the production of wood-based panels must satisfy the requirements of R3, R4 and R5 in Chapter 2.1.	The product complies with the requirement. Please get in touch with the EGGER product sustainability & compliance team at environment@egger.com to get Form 2a documents and safety data sheets for each chemical product and additive/ constituent substance.
R13 Formaldehyde	Average emissions of formaldehyde must not exceed 0.07 mg/m ³ air as determined by the current version of EN 717-1	The product complies with the requirement. Please get in touch with the EGGER product sustainability & compliance team at environment@egger.com to get EGGER Eurospan E1E05 TSCA P2 CE Formaldehyde test report (Pdf).

Compliance with other labels & regulations

Additional information in the form of manufacturer declarations, EPDs and brochures is available at

- www.egger.com/environment

Your label or regulation is missing? The EGGER product sustainability & compliance team is happy to support you with suitable information on the requirements. Please get in touch with

- environment@egger.com

or contact your EGGER sales contact or distributor, who are happy to forward the inquiry.

Footnotes

i

Production plant	Address
St. Johann, AT	FRITZ EGGER GmbH & Co. OG Holzwerkstoffe, Weiberndorf 20, 6380 St. Johann in Tirol (AT)
Wörgl, AT	FRITZ EGGER GmbH & Co. OG Holzwerkstoffe Fabriksweg 11a 6300 Wörgl (AT)
Unterradlberg, AT	FRITZ EGGER GmbH & Co. OG Holzwerkstoffe, Tiroler Straße 16, -3105 Unterradlberg (AT)
Rion des Landes, FR	EGGER Panneaux & Décors , Usine de Rion des Landes, Avenue d'Albret – BP 1, 40371 Rion des Landes Cedex 01 (FR)
Rambervillers, FR	EGGER Panneaux & Décors, Usine de Rambervillers, ZI Blanchifontaine, 88700 Rambervillers (FR)
Gagarin, RU	OOO "EGGER Drevprodukt Gagarin", Ezhvinsky proezd 1, 215010 Gagarin, Oblast Smolensk (RU)
Brilon, D	EGGER Holzwerkstoffe Brilon GmbH & Co. KG , Im Kissen 19, 59929 Brilon (DE)
Radauti, RO	SC EGGER România SRL, Str. Austriei 2, PO Box 38 , 725400 Radauti, jud. Suceava (RO)
Hexham, UK	EGGER (UK) Limited, Anick Grange Road, Hexham, Northumberland NE46 4JS (GB)
Barony, UK	EGGER Barony Limited, Barony Rd, Auchinleck, Cumnock KA18 2LL
Biskupiec, PL	EGGER Biskupiec sp. z o.o., Biskupiec-Kolonia Druga, Ul. Sw. Jozefa 1, 11-300 Biskupiec (PL)

ii

Product Certifications	
ISO 38200:2018	ISO 38200:2018 Chain of Custody of wood and wood-based products

iii

Substance	Norm	Limit value	Testing method	Accredited testing institute
Formaldehyde	According to EN 13986+A1:2015-04, Formaldehyde class E1	0.1ppm	EN 717-1	Fraunhofer WKI, Braunschweig (D)
Formaldehyde	German Chemical Prohibition Ordinance (ChemVerbotsV) 2020	0.05 ppm, test results are multiplied by the factor 2	EN 16516:2017+A1:2020/ EN 717-1	Fraunhofer WKI, Braunschweig (D)
Formaldehyde	California's Composite Wood Products Regulation (CWP Regulation) Phase 2	0.09 ppm	ASTM D6007-14	FCBA, Bourdeaux (FR)
Formaldehyde	U.S. Toxic Substances Control Act (TSCA), requirements of EPA TSCA Title VI – § 770.10 b 1-4	0.09 ppm	ASTM D6007-14	FCBA, Bourdeaux (FR)