

MORE FROM WOOD.



Make responsible product choices
Australian Specification Handbook





Take a closer look at what you are specifying.

Use this guide to access specifying information about our products, certificates, environmental and governance policies.

Contents

Documents	2
Products	3
Eurodekor® Melamine Faced Chipboard (MFC)	3
Eurolight® Melamine Faced and Raw	3
Edging	3
Laminate	4
Compact Laminate	4
PerfectSense® Lacquered Boards	4
Worktops (38mm square edge)	5
Worktops (38mm postformed 3mm radius edge)	5
Design Flooring GreenTec	5
Certificates and accreditations	6
Rating Tools: GBCA & IWBI Well	7
Rating Tools: GBCA & IWBI Well	8
How to specify 'EGGER'	9
Information	10

Environmental Product Declaration (EPD)

An Environmental Product Declaration (EPD) is an independently verified and registered document that communicates transparent and comparable information about the life-cycle and environmental impact of a product.

Environment and Health Datasheet (EHD)

An Environmental and Health Datasheet (EHD) provides information about raw materials, primary products, manufacturing, processing, use, end of life and environmental compliance.

Technical Datasheet

A technical datasheet provides information about applications areas, storage, processing, technical data, surface finish, dimensions, mechanical properties, and care and cleaning instructions.

Declaration of Performance (DoP)

A declaration of performance guarantees the product conforms to the requirements of the Construction Products Directive and relevant CE marking.

EcoFacts



Sustainability indicators display the type of wood-based materials that are used to make our products. They can also show the percentage of renewable resources used and a product's carbon footprint.

EGGER Sustainability Report

Eurodekor® Melamine Faced Chipboard (MFC)

	<ul style="list-style-type: none"> • Environmental Product Declaration • Environment and Health Datasheet • Technical Datasheets <ul style="list-style-type: none"> • Eurodekor (MFC) • Eurodekor SDS • Antibacterial • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) • Eurodekor Flammex Group 1 	<ul style="list-style-type: none">  -13.8 kg CO₂/m²  87% material from renewable resources  23% recycled material 42% by-products from the sawmill industry
--	---	--


Eurolight® Melamine Faced

	<ul style="list-style-type: none"> • Environmental Product Declaration • Technical Datasheets <ul style="list-style-type: none"> • Eurolight MFC • Antibacterial • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) 	<ul style="list-style-type: none">  -7.86 kg CO₂/m²  88% material from renewable resources  43% recycled material 23% by-products from the sawmill industry
--	--	--

Eurolight® Raw

	<ul style="list-style-type: none"> • Environmental Product Declaration • Technical Datasheets <ul style="list-style-type: none"> • Eurolight MFC • Processing Instructions 	<ul style="list-style-type: none">  -9.85 kg CO₂/m²  89% material from renewable resources  43% recycled material 24% by-products from the sawmill industry
---	---	---



Edging

	<ul style="list-style-type: none"> • Technical Datasheets <ul style="list-style-type: none"> • ABS Edging (matching and accent) • PMMA Accent Edging • ABS Edging SDS • Processing Instructions ABS • Processing Instructions PMMA
--	--

Laminate

	<ul style="list-style-type: none"> • Environmental Product Declaration <ul style="list-style-type: none"> • Laminate • Laminate Flammex • Environment and Health Datasheet • Technical Datasheets <ul style="list-style-type: none"> • Laminate • Laminate XL • HG Laminate • ST9 Laminate • Pearlescent laminate • Coloured Core Laminate • PerfectSense Topmatt Laminate • Antibacterial • Laminate SDS • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>2.03 kg CO₂ / m²</p> </div> </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>60% material from renewable resources</p> </div> </div> </div>
--	--	--




Compact Laminate

	<ul style="list-style-type: none"> • Environment and Health Datasheet <ul style="list-style-type: none"> • Black Core Compact Laminate • Technical Datasheets <ul style="list-style-type: none"> • Black Core • Coloured Core • Antibacterial • Compact Laminate SDS • Processing Instructions • Declarations of performance <ul style="list-style-type: none"> • Black Core • Coloured Core • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) • TUV Proficert 	<div style="display: flex; align-items: center; justify-content: center;">  <div style="margin-left: 10px;"> <p>60% material from renewable resources</p> </div> </div>
---	--	---




PerfectSense® Lacquered Boards

	<ul style="list-style-type: none"> • Environmental Product Declaration <ul style="list-style-type: none"> • MDF • Technical Datasheets <ul style="list-style-type: none"> • PerfectSense • PerfectSense SDS • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>-10.2 kg CO₂ / m²</p> </div> </div> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>87% material from renewable resources</p> </div> </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>74% by-products from the sawmill industry</p> </div> </div> </div>
--	---	---




Worktops (38mm square edge)

	<ul style="list-style-type: none"> • Environmental Product Declarations <ul style="list-style-type: none"> • Raw chipboard • Laminate • Technical Datasheets <ul style="list-style-type: none"> • Worktop • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>88 % material from renewable resources</p> </div> </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>25 % recycled material 41 % by-products from the sawmill industry</p> </div> </div> </div>
--	--	---

Worktops (38mm postformed 3mm radius edge)

	<ul style="list-style-type: none"> • Environmental Product Declarations <ul style="list-style-type: none"> • Raw chipboard • Laminate • Technical Datasheets <ul style="list-style-type: none"> • Worktop • Processing Instructions • Certificates <ul style="list-style-type: none"> • Antibacterial (ISO 22196) 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>88 % material from renewable resources</p> </div> </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>25 % recycled material 41 % by-products from the sawmill industry</p> </div> </div> </div>
--	--	---

Design Flooring GreenTec

	<ul style="list-style-type: none"> • Environment and Health Datasheet • Technical Datasheets <ul style="list-style-type: none"> • Flooring • Flooring SDS • Processing Instructions • Thermal Resistance TL • Certificates <ul style="list-style-type: none"> • Antibacterial • Declaration of performance • TUV Proficert 	<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; align-items: center; margin-bottom: 10px;">  <div style="margin-left: 10px;"> <p>67 % material from renewable resources</p> </div> </div> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <p>61 % by-products from the sawmill industry</p> </div> </div> </div>
---	--	--

Certificates and accreditations

ISO 14001:2015 Environmental Management
ISO 9001:2015 Quality Management System
ISO 45001:2018 Occupational health and safety management systems
ISO 38200:2018 Chain of custody of wood and wood-based products
ISO 22196:2011 Measurement of antibacterial activity on plastics and other non-porous surfaces – see individual products for information
ISO 14025/ EN 15804 – see individual EPDs for information
FSC
PEFC
ISO 38200 Chain of Custody of wood & wood-based products
REACH

Product overview - see individual EHDs for further information.

	Eurodekor® Melamine Faced Chipboard (MFC)	Laminate	Worktops	PerfectSense®	Compact Laminate	Design Flooring GreenTec
REACH	Yes	Yes	Yes	Yes	Yes	Yes
FSC	N/A	Yes	N/A	Yes	Yes	N/A
PEFC	Yes	Yes	Yes	Yes	Yes	Yes
GBCA	Yes	Yes	Yes	Yes	Yes	Yes
IWBI WELL V2	Yes	Yes	Yes	Yes	Yes	Yes

Rating Tools

	Eurodekor® Melamine Faced Chipboard (MFC)	Laminate	Flammex MFC (Melamine Faced Chipboard)	Eurolight® (Melamine Faced and Raw)
GBCA				
Zero Net Carbon - Interiors PILOT	Complies	N/A	Complies	Complies
Responsible Building Materials	Complies	Complies	Complies	Complies
Engineered Wood Credits	Complies	Complies	Complies	Complies
Life Cycle Assessment	Complies	Complies	Complies	Complies
Additional Reporting	Assist with overall design	Assist with overall design	Assist with overall design	Assist with overall design
Sustainable Products	Supporting Documentation Available	Supporting Documentation Available	Supporting Documentation Available	Supporting Documentation Available

IWBI Well v2, Q3 2021

X01 Material Restrictions	Complies	Complies	Complies	Complies
X05 Enhanced Materials Restrictions	Complies	Complies	Complies	Complies
X06 VOC Restrictions	Complies	Complies	Complies	Complies
X08 Materials Optimization	Complies	Complies	Complies	Complies

N/A = Not currently available

Decorative panels and edging

Worktops

Flooring

Certificates and accreditations

Rating Tools

How to specify

Information

Rating Tools

	Worktops	PerfectSense® Lacquered Boards	Compact Laminate	Design Flooring GreenTec
--	----------	--------------------------------------	---------------------	-----------------------------

GBCA

Zero Net Carbon - Interiors PILOT	Complies	Complies	N/A	Complies
Responsible Building Materials	Complies	Complies	Complies	Complies
Engineered Wood Credits	Complies	Complies	Complies	Complies
Life Cycle Assessment	Complies	Complies	N/A	Complies
Additional Reporting	Assist with overall design	Assist with overall design	Assist with overall design	Assist with overall design
Sustainable Products	Supporting Documentation Available	Supporting Documentation Available	Supporting Documentation Available	Supporting Documentation Available

IWBI Well v2, Q3 2021

X01 Material Restrictions	Complies	Complies	Complies	Complies
X05 Enhanced Materials Restrictions	Complies	Complies	Complies	Complies
X06 VOC Restrictions	Complies	Complies	Complies	Complies
X08 Materials Optimization	Complies	Complies	Complies	Complies

N/A = Not currently available

Decorative panels and edging

Worktops

Flooring

Certificates and accreditations

Rating Tools

How to specify

Information

How to specify "EGGER"

Due to EGGER's extensive range you need to be sure to specify the right products for your design. Specifying EGGER means that you are looking at including some of the best décor design, surface textures and product qualities available in the global market.

There are many steps in the specification process. For your documentation, following this guide will make it easier for your current and future projects.

Step 1: Start with specifying 'EGGER'

Step 2: Use the décor code and structure code followed by the décor name. Here is an example for 'Natural Halifax Oak'

Example: 'EGGER H1180 ST37 Natural Halifax Oak'

- H1180 is the décor code
- ST37 is the surface texture
- Halifax Natural Oak is the décor name = H1180

Giving this clear structure means that you will always get the décor you require to bring your design to life.

Step 3: Specify the appropriate product for the application required.

EGGER Product	Application
Super E0 F**** 59% recycled Chipboard	Cupboard doors, shelving, carcasses for kitchens, bathrooms, tea rooms, libraries, office furniture etc. Decorative wall paneling
Flammex E1 59% recycled 'Group 1' Chipboard	Furniture where Group 1 is required. Decorative wall and ceiling paneling
Laminate	Kitchen, bathroom, work surface, clinics/medical benchtops Shopfitting, retail, commercial applications etc.
Super E0 F**** 59% recycled Chipboard Worktops	Kitchen, bathroom, work surface, clinics/medical benchtops
PerfectSense® Lacquered Boards E0	Cupboard doors, shelving, carcasses for kitchens, bathrooms, tea rooms, libraries, office furniture etc. Decorative wall paneling
Matched Décor (colour) and Surface Texture ABS edging 0.8 and 2mm	0.8mm – Cupboard doors, shelving, carcasses for kitchens, bathrooms, Decorative wall paneling 2mm – Commercial, education, office furniture, etc.
Compact Laminate	Kitchen, bathroom, laboratory, work surface benchtops Toilet and shower Cubicles, wet area wall linings. Decorative wall paneling
Design Flooring GreenTec	Residential and commercial applications. Used in wet areas.

Step 4: Specify our local distributor contact – ForestOne (see back page for details).

Information

Corporate

About Us - Philosophy
Compliance
Code of Conduct
UN Global Compact
Sustainability Report

Supply Chain

Australian Distributor - ForestOne
Australian Distributor Range - ForestOne

www.egger.com

FRITZ EGGER GmbH & Co. OG
Holzwerkstoffe
Weiberndorf 20
6380 St. Johann in Tirol
Austria
T +43 50 600 - 0
info-sjo@egger.com

EGGER Australasia PTY Limited
P.O. Box 697
Carlton South, Victoria
3053
Australia
M +61 448 200 013
australia@egger.com



National number: 1300 088 066
Website: www.forest1.com
National E-Mail: enquiries@forest1.com

Contact details

VICTORIA

**Australian Head Office &
Victorian Sales**
601 Victoria Street
Abbotsford
VIC 3067
vic@forest1.com

Victorian Distribution Centre
58 Parkwest Drive
Derrimut
VIC 3030

QUEENSLAND

**Brisbane Sales and
Distribution Centre**
186 Boundary Road West
Rocklea
QLD 4106
brisbane@forest1.com

**Townsville Sales and
Distribution Centre**
207-211 Dalrymple Road
Garbutt
QLD 4814
townsville@forest1.com

**Cairns Sales and
Distribution Centre**
303 Little Spence Street
Cairns
QLD 4870
cairns@forest1.com

NEW SOUTH WALES

**Sydney Sales and
Distribution Centre**
17-19 McKay Close
Wetherill Park
NSW 2164
nsw@forest1.com

WESTERN AUSTRALIA

**Perth Sales and
Distribution Centre**
79-83 Pilbara Street
Welshpool
WA 6106
wa@forest1.com

SOUTH AUSTRALIA

**Adelaide Sales and
Distribution Centre**
5 Johansson Road
Wingfield
SA 5013
sa@forest1.com

EGGER proudly supported by ForestOne