

MORE FROM WOOD.



Availability *guide*

Decorative Collection 24+

			● available from stock		○ available with production time		■ only for vertical applications (pearlescent)		Q = End-grain edging		All dimensions in mm		roll = roll length (edging)		Product / Type / Variants		
			Thicknesses (mm)		Format (mm)												
U638	ST9	Sage Green	●	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced Chipboards E1 P2 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)
U640	ST9	Olive Green	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced Chipboards JP F0,3 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)
U645	ST9	Agave Green	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced Chipboards E1E05 TSCA P2 (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)
U646	ST9	Niagara Green	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced Chipboards E1E05 TSCA ST (single-sided and both-sided)
U665	PM	Stone Green	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Multilayer Faced Chipboards E1 P2 + 0.6 mm on both sides = Core Board Thickness + 1.2 mm
U665	ST9	Stone Green	●	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced MDF E1E05 TSCA MB
U699	ST9	Fir Green	●	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Faced MDF E1E05 TSCA ST
U702	PG	Cashmere Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Flammex flame retardant Faced Chipboards E1E05 TSCA P2 (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)
U702	PM	Cashmere Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Eurodekor Flammex flame retardant Faced MDF E1E05 TSCA ST (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)
U702	ST9	Cashmere Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates
U702	ST78	Cashmere Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates Coloured Core
U7021	ST9	Solid Cashmere Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates in Door Sizes
U705	PM	Angora Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates in Variable Length
U705	ST9	Angora Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates XL
U707	ST9	Silk Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	PerfectSense Premium Laminates Matt / Matt Coloured Core
U708	PG	Light Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	PerfectSense Premium Laminates Gloss / Gloss Coloured Core
U708	PM	Light Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	PerfectSense Laminates Matt
U708	ST9	Light Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	Laminates Flammex Flame Retardant
U7081	ST9	Solid Light Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U7081	ST76	Solid Light Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U727	ST9	Stone Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U732	PG	Dust Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U732	PM	Dust Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U732	ST9	Dust Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U740	PM	Dark Taupe	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U740	ST9	Dark Taupe	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U740	TM9	Dark Taupe	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U741	ST9	Lava Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U748	ST9	Truffle Brown	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U750	PM	Taupe Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U750	ST9	Taupe Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U750	TM9	Taupe Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U763	ST9	Pearl Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
U763	ST76	Pearl Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U767	PM	Cubanit Grey	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
U767	ST9	Cubanit Grey	●	○	○	○	○	○	○	○	○	○	○	○	○	○	
			18	8/10/12/16/19/22/25/28/38	2,800 x 2,070												PerfectSense Premium Lacquered MDF Matt and Gloss
			18	16/18/19/25	2,800 x 2,070												PerfectSense Lacquered Chipboards Matt
			0.4 (roll: 200 m)		22												ABS Edging
			0.8 (roll: 75 m)		23												ABS Edging
			2.0 (roll: 75 m)		28												ABS Edging
			2.0 (roll: 75 m)		43												ABS Edging
			0.8 (roll: 75 m)		54												ABS Edging
			1.5 (roll: 25 m)		23												ABS Accent and Endgrain Edging
			2.0 (roll: 75 m)		43												ABS Accent and Endgrain Edging
			1.0 (roll: 75 m)		23												PMMA Accent Edging
			1.0 (roll: 75 m)		23												PerfectSense ABS Edging
			1.0 (roll: 75 m)		43												PerfectSense ABS Edging
			38		4,100 x 600												Posiforming worktops Model 300/3
			38		4,100 x 920 on both sides												Posiforming worktops Model 300/3
			38		4,100 x 650												Feelwood Square Edged Worktops Model 100/1.5
			38		4,100 x 920 on both sides												Feelwood Square Edged Worktops Model 100/1.5
			38		4,100 x 650												PerfectSense Premium Square Edged Worktops Matt Model 100/1.5
			38		4,100 x 920 on both sides												PerfectSense Premium Square Edged Worktops Matt Model 100/1.5
			12		4,100 x 650												Compact Laminate Worktops Model 90/1.0
			12		4,100 x 920 longitudinal edges with bevvels												Compact Laminate Worktops Model 90/1.0
			8		4,100 x 640												Splashbacks
			25		4,100 x 25												Worktop Wall Profiles
			8/13		2,790 x 2,060												Compact Laminates Black Core
			6/10		2,790 x 2,060												Compact Laminates Coloured Core
			3/4/5/12		2,790 x 2,060												Compact Laminates Coloured Core
			6/8/10/13		2,790 x 2,060												Compact Laminates Flammex Flame Retardant
			6/8/10		2,790 x 2,060												Compact Laminates Flammex Flame Retardant
			38/50		2,800 x 2,070												Eurolight Faced Lightweight Boards
			8/10/12/16/18/19/22/25/28/38		2,800 x 2,070												Laminate Bonded Chipboards E1E05 TSCA P2
			16/19		2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)												Laminate Bonded Chipboards E1E05 TSCA P3
			8/10/12/16/18/19/22/25/28		2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)												Laminate Bonded MDF E1E05 TSCA ST

			● available from stock		○ available with production time		■ only for vertical applications (pearlescent)		Q = End-grain edging		All dimensions in mm		roll = roll length (edging)		Product / Type / Variants		Format (mm)		Thicknesses (mm)		
			●		○		■		Q						Eurodekor Faced Chipboards E1 P2 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)		2,800 x 2,070		18		
			●		○		■		Q						Eurodekor Faced Chipboards JP F0,3 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)		2,800 x 2,070		8/10/12/16/19/22/25/28/38		
			●		○		■		Q						Eurodekor Flammex flame retardant Faced Chipboards E1E05 TSCA P2 (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)		2,800 x 2,070		16/18/19/25		
			●		○		■		Q						Eurodekor Multilayer Faced Chipboards E1 P2 + 0.6 mm on both sides = Core Board Thickness + 1.2 mm		2,800 x 2,070		18/25		
			●		○		■		Q						Eurodekor Faced MDF E1E05 TSCA ST (single-sided and both-sided)		2,800 x 2,070		16/18/19		
			●		○		■		Q						Eurodekor Flammex flame retardant Faced MDF E1E05 TSCA ST (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)		2,800 x 2,070		16/18/19		
			●		○		■		Q						Laminates		2,800 x 1,310		0.8		
			●		○		■		Q						Laminates Coloured Core		2,800 x 1,310		0.8		
			●		○		■		Q						Laminates in Door Sizes		2,150 x 950/1,020		0.8		
			●		○		■		Q						Laminates in Variable Length		2,350 x 1,310		0.8		
			●		○		■		Q						Laminates XL		2,000 - 5,610 x 1,310		0.6		
			●		○		■		Q						PerfectSense Premium Laminates Matt / Matt Coloured Core		2,790 x 2,060		0.8		
			●		○		■		Q						PerfectSense Premium Laminates Gloss / Gloss Coloured Core		2,800 x 1,310		0.8		
			●		○		■		Q						PerfectSense Laminates Matt		2,800 x 1,310		0.8		
			●		○		■		Q						Laminates Flammex Flame Retardant		2,800 x 1,310		0.6/0.8		
			●		○		■		Q						PerfectSense Premium Lacquered MDF Matt and Gloss		2,800 x 2,070		18		
			●		○		■		Q						PerfectSense Lacquered Chipboards Matt		2,800 x 2,070		18		
			●		○		■		Q						ABS Edging		22		0.4 (roll: 200 m)		
			●		○		■		Q						ABS Edging		23		0.8 (roll: 75 m)		
			●		○		■		Q						ABS Edging		28		2.0 (roll: 75 m)		
			●		○		■		Q						ABS Edging		43		0.8 (roll: 75 m)		
			●		○		■		Q						ABS Edging		54		1.5 (roll: 25 m)		
			●		○		■		Q						ABS Edging		23		2.0 (roll: 75 m)		
			●		○		■		Q						ABS Accent and Endgrain Edging		43		0.8 (roll: 75 m)		
			●		○		■		Q						PMMA Accent Edging		23		1.0 (roll: 25 m)		
			●		○		■		Q						PerfectSense ABS Edging		43		1.0 (roll: 75 m)		
			●		○		■		Q						Posiforming worktops Model 300/3		4,100 x 600		38		
			●		○		■		Q						Feelwood Square Edged Worktops Model 100/1.5		4,100 x 920 on both sides		38		
			●		○		■		Q						PerfectSense Premium Square Edged Worktops Matt Model 100/1.5		4,100 x 650		38		
			●		○		■		Q						Compact Laminate Worktops Model 90/1.0		4,100 x 920 on both sides		38		
			●		○		■		Q						Splashes		4,100 x 650		12		
			●		○		■		Q						Worktop Wall Profiles		4,100 x 920 longitudinal edges with bevels		12		
			●		○		■		Q						Compact Laminates Black Core		4,100 x 640		8		
			●		○		■		Q						Compact Laminates Coloured Core		4,100 x 25		25		
			●		○		■		Q						Compact Laminates Flammex Flame Retardant		2,790 x 2,060		8/13		
			●		○		■		Q						Eurolight Faced Lightweight Boards		2,790 x 2,060		6/10		
			●		○		■		Q						Laminate Bonded Chipboards E1E05 TSCA P2		2,790 x 2,060		3/4/5/12		
			●		○		■		Q						Laminate Bonded Chipboards E1E05 TSCA P3		2,790 x 2,060		6/8/10/13		
			●		○		■		Q						Laminate Bonded MDF E1E05 TSCA ST		2,800 x 2,070		6/8/10		
			●		○		■		Q						Laminate Bonded Chipboards E1E05 TSCA P2		2,800 x 2,070		38/50		
			●		○		■		Q						Laminate Bonded Chipboards E1E05 TSCA P3		2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)		8/10/12/16/18/ 19/22/25/28/38		
			●		○		■		Q						Laminate Bonded MDF E1E05 TSCA ST		2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)		16/19		
			●		○		■		Q						Laminate Bonded MDF E1E05 TSCA ST		2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)		8/10/12/16/18/ 19/22/25/28		
H3430	ST22	White Aland Pine	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3433	ST22	Polar Aland Pine	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3450	ST22	White Fleetwood	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3700	ST10	Natural Pacific Walnut	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3702	ST10	Tobacco Pacific Walnut	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3710	ST9	Natural Carini Walnut	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3710	ST12	Natural Carini Walnut	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3730	ST10	Natural Hickory	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3734	ST9	Natural Dijon Walnut	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3840	ST9	Natural Mandal Maple	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
H3860	ST9	Champagne Hard Maple	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F021	ST75	Grey Triestino Terrazzo	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F030	ST75	Margalida Travertine	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F031	ST78	Light Grey Cascia Granite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F032	ST78	Grey Cascia Granite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F052	ST75	Calais Travertine	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F093	ST7	Grey Cipollino Marble	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F095	ST87	Grey Siena Marble	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F108	ST9	San Luca Marble	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F121	ST87	Anthracite Metal Rock	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F186	ST9	Light Grey Chicago Concrete	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F1861	ST9	Solid Light Grey Chicago Concrete	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F187	ST9	Dark Grey Chicago Concrete	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F205	ST9	Anthracite Pietra Grigia	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F206	PM	Black Pietra Grigia	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F206	ST9	Black Pietra Grigia	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F208	ST75	Grey Pietra Fanano	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F221	ST87	Cream Tessina Ceramic	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F226	ST87	Sand Beige Titanite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F226	ST78	Sand Beige Titanite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F227	ST78	Grey Titanite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F228	ST87	Anthracite Titanite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F228	ST78	Anthracite Titanite	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F229	ST75	Cremona Marble	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F230	ST75	Light Grey Pietra Fanano	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
F234	ST76	Light Grey Scivaro Slate	●	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

			● available from stock ○ available with production time		I only for vertical applications (pearlescent) Q = End-grain edging All dimensions in mm roll = roll length (edging)		Product / Type / Variants	
			Thicknesses (mm)	Format (mm)				
F235	ST76	Scivaro Slate	18	2,800 x 2,070	Eurodekor Faced Chipboards E1 P2 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)			
F237	ST76	Cupria Slate	8/10/12/16/19/22/25/28/38	2,800 x 2,070	Eurodekor Faced Chipboards JP F0, 3 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)			
F243	ST76	Light Grey Candela Marble	16/18/19/25	2,800 x 2,070	Eurodekor Flammex flame retardant Faced Chipboards E1E05 TSCA P2 (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)			
F244	ST76	Anthracite Candela Marble	12/16/18/25	2,800 x 2,070	Eurodekor Multilayer Faced Chipboards E1 P2 + 0.6 mm on both sides = Core Board Thickness + 1.2 mm			
F251	ST9	Taupe Gavi Stone	18/25	2,800 x 2,070	Eurodekor Faced MDF E1E05 TSCA MB (single-sided and both-sided)			
F302	ST87	Ferro Bronze	16/18/19	2,800 x 2,070	Eurodekor Flammex flame retardant Faced MDF E1E05 TSCA ST (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)			
F311	ST87	Ceramic Anthracite	16/18/19	2,800 x 2,070	Laminates			
F323	ST20	Cobra bronze	0.8	2,800 x 1,310	Laminates Coloured Core			
F352	ST76	Terra Basaltino	0.8	2,800 x 1,310	Laminates in Door Sizes			
F416	ST10	Beige Textile	0.8	2,150 x 950/1,020	Laminates in Variable Length			
F417	ST10	Grey Textile	0.8	2,350 x 1,310	Laminates XL			
F422	ST10	White Linen	0.6	2,000 - 5,610 x 1,310	PerfectSense Premium Laminates Matt / Matt Coloured Core			
F424	ST10	Brown Linen	0.8	2,790 x 2,060	PerfectSense Premium Laminates Gloss / Gloss Coloured Core			
F433	ST10	Anthracite Linen	0.8	2,800 x 1,310	PerfectSense Laminates Matt			
F434	ST20	Cubanite Steelbrush	0.8	2,800 x 1,310	Laminates Flammex Flame Retardant			
F486	ST76	White Sparkle Grain	0.6/0.8	2,800 x 1,310				
F500	ST20	Metallic Inox						
F502	ST7	Finely Brushed Aluminium						
F527	ST20	Golden Brushed Metal						
F528	ST20	Bronze Brushed Metal						
F620	ST87	Anthracite Steel Grey						
F634	ST76	Grey Canvas						
F635	ST76	Anthracite Canvas						
F637	ST10	White Chromix						
F638	ST10	Chromix Silver						
F675	ST75	Light Grey Calvia Stone						
F676	ST75	Sand Grey Calvia Stone						
F685	ST10	Acapulco						
F765	ST20	Brushed Silvergrey						
F800	ST9	Crystal Marble						
F812	ST9	White Levanto Marble						
Q1176	RO	White Halifax Oak						
Q1180	RO	Natural Halifax Oak						
Q1181	RO	Tobacco Halifax Oak						
Q1344	RO	Cognac Brown Sherman Oak						
Q1346	RO	Anthracite Sherman Oak						
			18	2,800 x 2,070	PerfectSense Premium Lacquered MDF Matt and Gloss			
			18	2,800 x 2,070	PerfectSense Lacquered Chipboards Matt			
			0.4 (roll: 200 m)	22	ABS Edging			
			0.8 (roll: 7.5 m)	23				
			2.0 (roll: 7.5 m)	28				
			0.8 (roll: 7.5 m)	43				
			1.5 (roll: 2.5 m)	54				
			2.0 (roll: 7.5 m)	23				
			1.0 (roll: 7.5 m)	43				
			1.5 (roll: 2.5 m)	23				
			1.0 (roll: 7.5 m)	23				
			1.0 (roll: 7.5 m)	43				
			38	4,100 x 600	Posiforming worktops Model 300/3			
			38	4,100 x 920 on both sides	Feelwood Square Edged Worktops Model 100/1.5			
			38	4,100 x 650	PerfectSense Premium Square Edged Worktops Matt Model 100/1.5			
			38	4,100 x 920 on both sides	Compact Laminate Worktops Model 90/1.0			
			12	4,100 x 650	Splashbacks			
			12	4,100 x 920 longitudinal edges with bevels	Worktop Wall Profiles			
			8	4,100 x 640	Compact Laminates Black Core			
			25	4,100 x 25	Compact Laminates Coloured Core			
			8/13	2,790 x 2,060	Compact Laminates Flammex Flame Retardant			
			6/10	2,790 x 2,060				
			3/4/5/12	2,790 x 2,060				
			6/8/10/13	2,790 x 2,060				
			6/8/10	2,790 x 2,060				
			38/50	2,800 x 2,070				
			8/10/12/16/18/19/22/25/28/38		Laminate Bonded Chipboards E1E05 TSCA P2			
			16/19	2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)	Laminate Bonded Chipboards E1E05 TSCA P3			
			8/10/12/16/18/19/22/25/28		Laminate Bonded MDF E1E05 TSCA ST			

Code	Material	Description	Thicknesses (mm)	Format (mm)	Product / Type / Variants	Availability	
							18
Q1367	RO	Light Natural Casella Oak			Eurodekor Faced Chipboards E1 P2 (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)	●	
Q1369	RO	Marone Casella Oak			Eurodekor Faced Chipboards JP F0,3 (F****)/GB ENF MR (Feelwood 0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)	●	
Q1384	RO	White Casella Oak			Eurodekor Flammex flame retardant Faced Chipboards E1E05 TSCA P2 (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)	●	
Q1385	RO	Natural Casella Oak			Eurodekor Multilayer Faced Chipboards E1 P2 + 0.6 mm on both sides = Core Board Thickness + 1.2 mm	●	
Q1386	RO	Brown Casella Oak			Eurodekor Faced MDF E1E05 TSCA MB (single-sided and both-sided)	●	
Q3176	RO	Pewter Halifax Oak			Eurodekor Flammex flame retardant Faced MDF E1E05 TSCA ST (0.3 mm construction on both sides = Core Board Thickness + 0.6 mm)	●	
Q3309	RO	Sand Gladstone Oak			Laminates	●	
Q3311	RO	Bleached Cuneo Oak			Laminates Coloured Core	●	
Q3317	RO	Brown Cuneo Oak			Laminates in Door Sizes	●	
Q3325	RO	Tobacco Gladstone Oak			Laminates in Variable Length	●	
Q3326	RO	Grey-Beige Gladstone Oak			Laminates XL	●	
Q3359	RO	Light Natural Davenport Oak			PerfectSense Premium Laminates Matt / Matt Coloured Core	●	
W8904	R1	Doppia Alpine White-Alu			PerfectSense Premium Laminates Gloss / Gloss Coloured Core	●	
U8920	R1	Doppia Black-Alu			PerfectSense Laminates Matt	●	
U8921	R1	Doppia Black Matt/Gloss			Laminates Flammex Flame Retardant	●	
U8922	R1	Doppia Black Gloss/Matt				●	
H8906	ST10	Three Layer Thermo Brown				●	
H8911	ST10	Multiplex Oak				●	
H8912	ST10	Multiplex Walnut				●	
H8913	ST10	Three Layer Mountain Larch				●	
H8955	SM	Multiplex Black				●	
F8930	R2	Diamond Brushed Bronze				●	
F8931	R2	Diamond Brushed Inox				●	
F8980	LI	Linea Black				●	
					PerfectSense Premium Lacquered MDF Matt and Gloss	●	
					PerfectSense Lacquered Chipboards Matt	●	
			0.4 (roll: 200 m)	22	ABS Edging	●	
			0.8 (roll: 75 m)	23		●	
			2.0 (roll: 75 m)	28		●	
			2.0 (roll: 75 m)	43		●	
			0.8 (roll: 75 m)	54		●	
			1.5 (roll: 25 m)	23	ABS Accent and Endgrain Edging	●	
			2.0 (roll: 75 m)	43		●	
			0.8 (roll: 75 m)	23	PMMA Accent Edging	●	
			1.0 (roll: 75 m)	23	PerfectSense ABS Edging	●	
			1.0 (roll: 75 m)	43		●	
			38	4,100 x 600	Posiforming worktops Model 300/3	●	
			38	4,100 x 920 on both sides		●	
			38	4,100 x 650	Feelwood Square Edged Worktops Model 100/1.5	●	
			38	4,100 x 920 on both sides		●	
			38	4,100 x 650	PerfectSense Premium Square Edged Worktops Matt Model 100/1.5	●	
			38	4,100 x 920 on both sides		●	
			12	4,100 x 650	Compact Laminate Worktops Model 90/1.0	●	
			12	4,100 x 920 milled longitudinal edges with bevvels		●	
			8	4,100 x 640	Splashbacks	●	
			25	4,100 x 25	Worktop Wall Profiles	●	
			8/13		Compact Laminates Black Core	●	
			6/10	2,790 x 2,060		●	
			3/4/5/12		Compact Laminates Coloured Core	●	
			6/8/10/13	2,790 x 2,060	Compact Laminates Flammex Flame Retardant	●	
			6/8/10	2,790 x 2,060		●	
			38/50	2,800 x 2,070	Eurolight Faced Lightweight Boards	●	
			8/10/12/16/18/19/22/25/28/38		Laminate Bonded Chipboards E1E05 TSCA P2	●	
			16/19	2,800 x 1,310 / 2,790 x 1,010 (Laminate XL)	Laminate Bonded Chipboards E1E05 TSCA P3	●	
			8/10/12/16/18/19/22/25/28		Laminate Bonded MDF E1E05 TSCA ST	●	