

**MORE FROM WOOD.**

**E EGGER**


**Eurodekor thin boards**

**Authentic surfaces and  
convincing properties**





## Eurodekor melamine-faced thin boards



Melamine-faced boards offer multiple possibilities for use in furniture and interior design. Thanks to their scratch resistance, abrasion resistance and resistance to chemicals, the surface is very robust.

### It is very well suited for the following areas of application:

- Interior doors (residential and commercial applications)
- Lightweight, back boards
- Furniture and interior design
- Trade fair construction and shopfitting

### Properties

- High impact resistance and mechanical resistance
- Design versatility with coordinated surface textures
- Optimal surface properties according to EN 14322
- Ideal processing characteristics
- Processing with low tool-wear
- High impact resistance and mechanical resistance

## Eurodekor Thin MDF HD



The **EGGER Thin MDF HD** is a bright, highly compressed board with a particularly fine fibre structure. Thanks to its **high density**, it complies with the requirements of the EN622-5 and has **very good elasto-mechanical properties**. With its high compression, the product is particularly suited for one-sided and therefore **asymmetrical lamination**, as well as the **pressing of deep textures**. The structures gathered under the name of Feelwood, reflect surfaces that are close to nature and authentic.

## Eurodekor Thin Chipboard

The **EGGER Eurodekor thin chipboard** is a light board with **low bark content** and a particularly **smooth chip structure**. It corresponds to the requirements of the RAL Quality Assurance Association for interior doors and fulfils the special requirements for impact resistance and mechanical resistance.

## Product properties

Melamine-faced thin chipboard, laminated on one side, low-emission – E1 P2

### Thin MDF HD E1 for deep textures


|                |  |
|----------------|--|
| Thickness:     | 3 mm   |
| Decors:        | EGGER wood reproductions, uni and white decors upon request – no pearlescent decors  |
| Textures:      | ST10, ST22;<br>ST27, ST28, ST29 synchronised pore structure, only available with Feelwood decors according to the collection |
| Delivery time: | approx. 4 to 5 weeks   |

### Thin chipboard E1 P2 for standard textures


|                |  |
|----------------|--|
| Thicknesses:   | 3 mm + 4 mm (0.12" + 0.16")  |
| Decors:        | EGGER wood and material reproductions, uni and white decors upon request – no pearlescent decors |
| Textures:      | ST2, ST9, ST11, ST15   |
| Delivery time: | approx. 3 to 4 weeks   |

| Product information                               | Full boards and half-formats   | Cut-to-size   |
|---|--|---|
| Delivery plant:                                   | St. Johann in Tirol  |   |
| Formats:  | 5,610 × 2,070 mm – only thin chipboard<br>4,300 × 2,070 mm – only thin chipboard<br>2,800 × 2,070 mm   | Cuts according to customer specifications   |
| Minimum quantity per decor / texture / thickness: | ≥ 50 full boards – 5,610 × 2,070 mm – only thin chipboard<br>≥ 50 full boards – 4,300 × 2,070 mm – only thin chipboard<br>≥ 100 half-formats – 2,800 × 2,070 mm<br><br>Variation in number of pieces ± 15% reserved  | Cut-to-size:<br>≥ 1000 pieces per order<br><br>of which:<br>≥ 200 pieces per format/texture/thickness   |
| Packaging unit:                                   | 25 pieces – 5,610 × 2,070 × 3 mm – only thin chipboard<br>50 pieces – 4,300 × 2,070 × 3 mm – only thin chipboard<br>50 pieces – 2,800 × 2,070 × 3 mm<br><br>20 pieces – 5,610 × 2,070 × 4 mm – only thin chipboard<br>40 pieces – 4,300 × 2,070 × 4 mm – only thin chipboard<br>40 pieces – 2,800 × 2,070 × 4 mm – only thin chipboard | Door formats cut-to-size:<br>200 pieces – 3 mm<br>200 pieces – 4 mm – only thin chipboard<br><br>other cuts upon request  |
| Grading:  | According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions:<br>Points: ≤ 2 mm <sup>2</sup> / m <sup>2</sup><br>Length defects: ≤ 20 mm / m <sup>2</sup><br><br>Customer-specific grading and stacking upon request  | According to standard, there is a pressed grading (decor on decor) according to EN 14323 with permitted defective fractions:<br>Points: ≤ 2 mm <sup>2</sup> / m <sup>2</sup><br>Length defects: ≤ 20 mm / m <sup>2</sup><br><br>Customer-specific grading and stacking upon request |
| Stacking:   | Decor on decor,<br>in pairs  | Decor on decor,<br>in pairs or according to customer requirements   |


## Eurodekor Thin MDF HD 3 mm




# Eurodekor thin chipboard 3 and 4 mm




**U763** ST2  
Pearl Grey




**H3389** ST15  
Natural Light Oak




**H1284** ST11  
White Ash



**H1295** ST15  
Chocolate Lakeland Acacia



**H1334** ST15  
Light Ferrara Oak



**H3386** ST15  
Oak natural



**H1521** ST15  
Honey Maple




**H1727** ST15  
Natural Birch




**H1582** ST15  
Ellmau Beech



**H3304** ST9  
Grey Lacquered Chateau Oak




**H3306** ST9  
Anthracite Chateau Oak




**H1199** ST11  
Black Brown Thermo Oak



**H1502** ST15  
Alder



**H3734** ST9 / ST15  
Natural Dijon Walnut



**H1555** ST15  
Wenge

[www.egger.com/products-interior](http://www.egger.com/products-interior)



Would you like to know more?  
Simply scan here and get  
further information.

**FRITZ EGGER GmbH & Co OG.**

**Holzwerkstoffe**

Weiberndorf 20

6380 St. Johann in Tirol

Austria

**T** +43 50 600-0

**F** +43 50 600-10111

[info-sjo@egger.com](mailto:info-sjo@egger.com)

**FRITZ EGGER GmbH & Co OG.**

**Holzwerkstoffe**

Fabriksweg 11a

6300 Wörgl

Austria

**T** +43 50 600-0

**F** +43 50 600-13039

[info-woe@egger.com](mailto:info-woe@egger.com)